

Physical Properties related to the study of Gas Hydrate

Bill Waite

WWAITE@USGS.GOV



Workshop on Gas Hydrates— AMGG/CAGE/UIT (March, 2019)

Tools to help *you* guess what will happen next in *your* study

Bill Waite

WWAITE@USGS.GOV



Workshop on Gas Hydrates— AMGG/CAGE/UIT (March, 2019)

**Tools to help *you* guess what
will happen next in *your* study**



Tools to help *you* guess what will happen next in *your* study


?



Guess

Tools to help *you* guess what will happen next in *your* study


?




Guess

Test


Tools to help *you* guess what will happen next in *your* study




Tools to help *you* guess what will happen next in *your* study




Tools to help *you* guess what will happen next in *your* study



Tools to help *you* guess what will happen next in *your* study



Tools to help *you* guess what will happen next in *your* study



What are the tools?

What are the tools?

Physical Properties

What are the tools?

Physical Properties

- Density
- Velocity
- Resistivity
- Permeability
- Compressibility
- Thermal properties
- Gas hydrate saturation
 -
 -
 -
 -

What are the tools?

Physical Properties

- Density
- Velocity
- Resistivity
- Permeability
- Compressibility
- Thermal properties
- Gas hydrate saturation
-
-
-
-


Correlations

What are the tools?

Physical Properties

- Density
- Velocity
- Resistivity
- Permeability
- Compressibility
- Thermal properties
- Gas hydrate saturation
-
-
-
-

Correlations




What are the tools?

Physical Properties

- Density
- Velocity
- Resistivity
- Permeability
- Compressibility
- Thermal properties
- Gas hydrate saturation
-
-
-
-

Correlations




What are the tools?

Physical Properties

- Density
- Velocity
- Resistivity
- Permeability
- Compressibility
- Thermal properties
- Gas hydrate saturation
-
-
-
-

Correlations




What are the tools?

Physical Properties

- Density
- **Velocity**
- Resistivity
- Permeability
- Compressibility
- Thermal properties
- Gas hydrate saturation
-
-
-
-

Correlations

Property 2
"Easier to measure"



Property 1
"Harder to measure"


What are the tools?

Physical Properties

- Density
- **Velocity**
- Resistivity
- Permeability
- Compressibility
- Thermal properties
- **Gas hydrate saturation**
-
-
-
-

Correlations

Property 2
"Easier to measure"



Property 1
"Harder to measure"




What are the tools?

Physical Properties

- Density
- Velocity
- Resistivity
- Permeability
- Compressibility
- Thermal properties
- Gas hydrate saturation
-
-
-
-

Correlations




What are the tools?

Physical Properties

- Density
- Velocity
- Resistivity
- Permeability
- Compressibility
- Thermal properties
- Gas hydrate saturation
-
-
-
-

Correlations



What are the tools?

Physical Properties

- Density
- Velocity
- Resistivity
- **Permeability**
- Compressibility
- Thermal properties
- **Gas hydrate saturation**
 -
 -
 -
 -

Correlations




What are the tools?

Physical Properties

- Density
- Velocity
- Resistivity
- **Permeability**
- Compressibility
- Thermal properties
- **Gas hydrate saturation**
 -
 -
 -
 -

Correlations



Workshop Outline

Workshop Outline

- **Finding gas hydrate in nature**

Workshop Outline

- **Finding gas hydrate in nature**
- **Characterizing gas hydrate occurrences**

Workshop Outline

- **Finding gas hydrate in nature**
- **Characterizing gas hydrate occurrences**
- **Can methane be extracted for profit?**


Workshop Outline

- **Finding gas hydrate in nature**
- **Characterizing gas hydrate occurrences**
- **Can methane be extracted for profit?**
- **Gas hydrate formation & breakdown**
(Geologic time)


Workshop Outline

- **Finding gas hydrate in nature**
- **Characterizing gas hydrate occurrences**
- **Can methane be extracted for profit?**
- **Gas hydrate formation & breakdown**
(Geologic time)


Methane gas hydrate phase stability: pressure and temperature requirements



Methane gas hydrate phase stability: pressure and temperature requirements




Methane gas hydrate phase stability: pressure and temperature requirements





Beaudoin et al. (2014), U.N. Environmental Programme

Methane gas hydrate phase stability: pressure and temperature requirements




Beaudoin et al. (2014), U.N. Environmental Programme


Methane gas hydrate phase stability: pressure and temperature requirements




Global methane gas hydrate distribution



Density, ρ




Using ρ in the field: Bottom Simulating Reflector (BSR) Blake Ridge (offshore USA)



Reflection strength increases for large change in
density*velocity (impedance contrast)


Max and Dillon (1998), J. Petroleum Geology

Using ρ in the field: Bottom Simulating Reflector (BSR) Blake Ridge (offshore USA)




Max and Dillon (1998), J. Petroleum Geology

Using ρ in the field: Bottom Simulating Reflector (BSR) Vestnesa Ridge (offshore Svalbard)




Using ρ in the field: Bottom Simulating Reflector (BSR) Vestnesa Ridge (offshore Svalbard)




BSR can be harder to see where gas can escape

Using ρ in the field: Alternative BSRs


Gulf of Mexico (offshore USA)



Compressional Wave Velocity, V_p




Compressional Wave Velocity, V_p



Forming hydrate will *increase* V_p in sediment
Forming gas will *decrease* V_p in sediment

Using V_p in the field: Finding regions of high V_p

Storegga slide
(offshore
Norway)




Bunz and Mienert (2004), JGR

Using V_p in the field: Finding regions of high V_p

Storegga slide
(offshore
Norway)

BSR on top of
the low V_p
section that
contains gas




Bunz and Mienert (2004), JGR

Using V_p in the field: Finding regions of high V_p

Storegga slide
(offshore
Norway)


BSR on top of
the low V_p
section that
contains gas



Higher V_p
above BSR is
due to gas
hydrate

Bunz and Mienert (2004), JGR


Using V_p in the field: Finding regions of high V_p



Nankai Trough
(offshore Japan)


Fujii et al. (2015), MPG

V_p in the lab: identification of hydrate-bearing sediment




Santamarina et al. (2015), Marine and Petroleum Geology

V_p in the lab: identification of hydrate-bearing sediment




Locations chosen for three types of testing

Electrical resistivity, R




Electrical resistivity, R



Everything is an electrical insulator...
except the salty pore water

Electrical resistivity: mapping subsurface insulator distributions



Hikurangi Margin (offshore New Zealand)



Schwalenberg et al.
(2017), JGR



Electrical resistivity: mapping subsurface insulator distributions

Hikurangi Margin (offshore New Zealand)



Schwalenberg et al.
(2017), JGR


Electrical resistivity: mapping subsurface insulator distributions Hikurangi Margin (offshore New Zealand)



Schwalenberg et al.
(2017), JGR

Electrical resistivity: mapping layers in a borehole


Gulf of Mexico (offshore USA)



Boswell et al. (2012b) Marine and Petroleum Geology

Electrical resistivity: mapping layers in a borehole


Gulf of Mexico (offshore USA)



Boswell et al. (2012b) Marine and Petroleum Geology

Electrical resistivity: mapping hydrate in the laboratory

Gas hydrate being grown from methane dissolved in circulating water




Time 

Priegnitz et al. (2013), Rev. Sci. Inst.

What is the insulator? Gas or hydrate?


Hydrate Ridge (offshore USA)



Weitemeyer et al. (2011), GJI

Resistivity + Velocity can distinguish between gas and hydrate


Hydrate Ridge (offshore USA)



Weitemeyer et al. (2011), GJI

Resistivity + Velocity can distinguish between gas and hydrate

Hydrate Ridge (offshore USA)




High
resistance

Weitemeyer et al. (2011), GJI

Resistivity + Velocity can distinguish between gas and hydrate


Hydrate Ridge (offshore USA)



High
resistance
+ low velocity

Resistivity + Velocity can distinguish between gas and hydrate


Hydrate Ridge (offshore USA)



High
resistance
+ low velocity
gas


Weitemeyer et al. (2011), GJI

Using the BSR to guess the maximum hydrate depth Blake Ridge (offshore USA)



Max and Dillon (1998), J. Petroleum Geology

Using the BSR to guess the maximum hydrate depth Blake Ridge (offshore USA)




Need:

- Bottom Water Temperature
- Geothermal Gradient

Max and Dillon (1998), J. Petroleum Geology

Using the BSR to guess the maximum hydrate depth Blake Ridge (offshore USA)




Need:


- Bottom Water Temperature
- Geothermal Gradient
- Stability Curve

Max and Dillon (1998), J. Petroleum Geology

Seafloor temperature dependence on water depth





Seafloor temperature dependence on water depth




Seafloor temperature dependence on water depth

Cold, salty water sinks and spreads out




Jansen (2017), PNAS


Guessing the temperature profile




Geothermal gradient dependence on water depth




Geothermal gradient dependence on water depth





Geothermal gradient dependence on water depth



Geothermal gradient dependence on water depth





Geothermal gradient dependence on water depth




Burns (1964), JGR

Geothermal gradient dependence on water depth





Burns (1964), JGR

Geothermal gradient dependence on water depth




Burns (1964), JGR

Geothermal gradient dependence on water depth



Tryon et al. (2002), EPSL

Using the BSR to guess the maximum hydrate depth Blake Ridge (offshore USA)




Need:


- Bottom Water Temperature
- Geothermal Gradient
- Stability Curve

Max and Dillon (1998), J. Petroleum Geology


How precisely do we actually know the stability curve?




How precisely do we actually know the stability curve?



How precisely do we actually know the stability curve?




How precisely do we actually know the stability curve?




- Model choice alone can change BSR depth by **30 m**

How precisely do we actually know the stability curve?




- Model choice alone can change BSR depth by **30 m**
- Salinity choice seawater, 33.5 ppt measured, 18.8 ppt can change BSR depth by **17 m**

How precisely do we actually know the stability curve?




- Model choice alone can change BSR depth by **30 m**
- Salinity choice seawater, 33.5 ppt measured, 18.8 ppt can change BSR depth by **17 m**
- Temperature uncertainty can change BSR depth by **20 m**

Nonlinear geothermal gradient: impact of sedimentation



Sedimentation (adding cool sediment) can make the sediment column cooler than expected, pushing the base of hydrate stability deeper.

How precisely do we actually know the stability curve?



- Model choice alone can change BSR depth by **30 m**
- Salinity choice seawater, 33.5 ppt measured, 18.8 ppt can change BSR depth by **17 m**
- Temperature uncertainty can change BSR depth by **20 m**

Hydrate stability curve: Tishchenko equation

$$\ln(P) = \left[-1.6444866 \cdot 10^3 - 0.1374178 \cdot T + \frac{(5.4979866 \cdot 10^4)}{T} + 2.64118188 \cdot 10^2 \cdot \ln(T) \right] +$$
$$S \cdot \left[1.1178266 \cdot 10^4 + 7.67420344 \cdot T - 4.515213 \cdot 10^{-3} \cdot T^2 - \frac{(2.04872879 \cdot 10^5)}{T} - 2.17246046 \cdot 10^3 \cdot \ln(T) \right] +$$
$$S^2 \cdot \left[1.70484431 \cdot 10^2 + 0.118594073 \cdot T - 7.0581304 \cdot 10^{-5} \cdot T^2 - \frac{(3.09796169 \cdot 10^3)}{T} - 33.2031996 \cdot \ln(T) \right]$$

Hydrate stability curve: Tishchenko equation

$$\ln(P) = \left[-1.6444866 \cdot 10^3 - 0.1374178 \cdot T + \frac{(5.4979866 \cdot 10^4)}{T} + 2.64118188 \cdot 10^2 \cdot \ln(T) \right] +$$
$$S \cdot \left[1.1178266 \cdot 10^4 + 7.67420344 \cdot T - 4.515213 \cdot 10^{-3} \cdot T^2 - \frac{(2.04872879 \cdot 10^5)}{T} - 2.17246046 \cdot 10^3 \cdot \ln(T) \right] +$$
$$S^2 \cdot \left[1.70484431 \cdot 10^2 + 0.118594073 \cdot T - 7.0581304 \cdot 10^{-5} \cdot T^2 - \frac{(3.09796169 \cdot 10^3)}{T} - 33.2031996 \cdot \ln(T) \right]$$

T = Temperature (K)

Hydrate stability curve: Tishchenko equation

$$\ln(P) = \left[-1.6444866 \cdot 10^3 - 0.1374178 \cdot T + \frac{(5.4979866 \cdot 10^4)}{T} + 2.64118188 \cdot 10^2 \cdot \ln(T) \right] +$$
$$S \cdot \left[1.1178266 \cdot 10^4 + 7.67420344 \cdot T - 4.515213 \cdot 10^{-3} \cdot T^2 - \frac{(2.04872879 \cdot 10^5)}{T} - 2.17246046 \cdot 10^3 \cdot \ln(T) \right] +$$
$$S^2 \cdot \left[1.70484431 \cdot 10^2 + 0.118594073 \cdot T - 7.0581304 \cdot 10^{-5} \cdot T^2 - \frac{(3.09796169 \cdot 10^3)}{T} - 33.2031996 \cdot \ln(T) \right]$$


T = Temperature (K); S = Salinity (ppt)

Hydrate stability curve: Tishchenko equation

$$\ln(P) = \left[-1.6444866 \cdot 10^3 - 0.1374178 \cdot T + \frac{(5.4979866 \cdot 10^4)}{T} + 2.64118188 \cdot 10^2 \cdot \ln(T) \right] +$$
$$S \cdot \left[1.1178266 \cdot 10^4 + 7.67420344 \cdot T - 4.515213 \cdot 10^{-3} \cdot T^2 - \frac{(2.04872879 \cdot 10^5)}{T} - 2.17246046 \cdot 10^3 \cdot \ln(T) \right] +$$
$$S^2 \cdot \left[1.70484431 \cdot 10^2 + 0.118594073 \cdot T - 7.0581304 \cdot 10^{-5} \cdot T^2 - \frac{(3.09796169 \cdot 10^3)}{T} - 33.2031996 \cdot \ln(T) \right]$$

T = Temperature (K); S = Salinity (ppt); P = Pressure (MPa)

Using the BSR to guess the maximum hydrate depth Blake Ridge (offshore USA)




Need:

- Bottom Water Temperature
- Geothermal Gradient
- Stability Curve

Max and Dillon (1998), J. Petroleum Geology

Using the BSR to guess the maximum hydrate depth Vestnesa Ridge (offshore Svalbard)




Need:

- Bottom Water Temperature
- Stability Curve
- Geothermal Gradient

Plaza-Faverola et al. (2017), JGR

Using the BSR to guess the maximum hydrate depth Vestnesa Ridge (offshore Svalbard)




Need:

- Bottom Water Temperature
- *Appropriate* Stability Curve
- Geothermal Gradient

Plaza-Faverola et al. (2017), JGR


Big Ideas: general approach, and finding gas hydrate

Big Ideas: general approach, and finding gas hydrate




- To learn more, be willing to “fail” more. Every outcome is a chance to learn!

Big Ideas: general approach, and finding gas hydrate




- To learn more, be willing to “fail” more. Every outcome is a chance to learn!




- To find things, use properties that are very different from what you are *not* looking for.


Big Ideas: general approach, and finding gas hydrate



- To learn more, be willing to “fail” more. Every outcome is a chance to learn!



- To find things, use properties that are very different from what you are not looking for.



- Correlations have real power (good and bad). Make sure you understand the process that connects your properties.